APPLICATION TO CONSTRUCT/INSTALL/ALTER AN ON-SITE WASTEWATER MANAGEMENT SYSTEM

Environment Protection Act 2017 Environment Protection Regulations 2021 A20

Property No. : PF	WW (Office Use)
Permit Approval Time Frame: Council will issue an approved evelopment, the application is completed correctly, and all	
NO work should commence until the applicant receives this a processing of your application.	approval. Please allow up to 42 worкing days for the
APPLICATION FEES ARE NON-REFUNDABLE	
()	
Postal Address:	
Postcode: Email: (Required to be complete	Phone No.:d)
SITE ADDRESS (of installation/alteration):	
	Postcode:
OWNER(S): Name(s):	
(Full Name(s) of Property Owner(s) Required To Be Completed)
Postal Address:	
Postcode: Email: (Required to be complete	Phone No.:d)
PLUMBER: Name:	
Postal Address:	Postcode:
Licence No.: Email:	Mobile:
OTHER CONTACT Details of the person undertaking the construction, installation Management System.	on, or alteration of the On-Site Wastewater
Name:	
Postal Address:	Postcode:
Email: Mobile	y:
NATURE OF APPLICATION (tick box)	
☐ New installation of On-Site Wastewater Management Sys	stem New installation of AWT System
☐ Alteration to On-Site Wastewater Management System	□ Alteration to AWT System
□ Other: Specify	

PROPOSED PRIMARY/SECONDARY TREATMENT FACILITY

Provide details/specifications of proposed primary/secondary treatment system (e.g. Septic Tank, AWT)	
Manufacturer:	
Construction: Pre-cast concrete Plastic Other (specify):	
Liquid capacity of tanks or chambers: litres	
Certification Number:	
PROPOSED WASTEWATER DISPOSAL METHOD (tick box)	-
SUB-SURFACE: Absorption Trench Transpiration Bed Sub Surface Effluent Irrigation	
☐ Other (specify):	
DESIGN WASTEWATER FLOW RATES Contributing Source (tick box)	_
☐ Household Residence No. of bedrooms including study/games etc.:	
□ Other: (specify): No. Persons/Users:	
Water supply: ☐ Reticulated Town Supply ☐ Rainwater Plus Alternative Source ☐ Rainwater only	
Expected Daily Effluent Flow Rate: L/day (as per Table 4.1 Guideline for Onsite Wastewater Management System)	
LAND CAPABILITY ASSESSMENT	
Land Capability Assessment carried out by:	
Assessed Level of Constraint for site: ☐ Nil or Minor ☐ Moderate ☐ Major	
Soil DLR/DIR: mm/day	
□ Absorption Trenches	
Total Length of trench to be installedmetres	
Length of each trenchmetres Width of each trenchmetres	
□ Transpiration Beds	
Total number of beds to be installed metres	
Length of each bedsquare metres	;
□ Wick Trench and Bed System	
Total number of beds to be installed metres	
Length of each bed metres Area of each bed square metres	;
□ Irrigation	
Total disposal area to be installed square metres	
No of bedssquare metres Area of each bedsquare metres	3
Other (specify)	
ALTERATION	
Alteration details:	
Existing System Capacity: litres Certification:	
Condition:	
Dimensions of existing sub-soil disposal trench:	

ADDITIONAL DETAILS & APPLICATION

This	s application form, once	e completed, needs to be submitted to Council's Environmental Health Services, together						
with	the prescribed fee an	d the following prescribed documentation to health@mildura.vic.gov.au :						
	•	fications and particulars of the proposed construction, installation or alteration of the On- nagement System including the floor plan of the premises at which the activity specified in						
	the application is to be engaged in;							
	• •	ed use of the On-Site Wastewater Management System;						
	• •	construct or install an On-Site Wastewater Management System, a copy of a						
	• •	a body accredited under the Joint Accreditation System of Australia and New Zealand (or						
		on body approved by the Authority), confirming that the proposed On-Site Wastewater						
	-	ts the appropriate standard;						
	A Land Capability As	sessment prepared by a person that the Council considers is suitably qualified and to a						
	standard acceptable	to the Council.						
DI	ECLARATION							
By s	signing this you declar	re the information contained in the application is true and completed to the best of your						
•								
knowledge. This application forms a legal document and penalties exist for providing false or misleading information.								
11110	maton.							
Sian	nature of Applicant(s):							
	licant Name(s):							
	()	(Please Print)						
Date	ed:	(constantly						
Offi	ice Use Only							
	- 1							

Fee: \$798.20	Code: 167 OWMS Installation or Alteration Major
Fee: \$608.20	Code: 165 OWMS Alteration Minor (Fixtures Only)
Receipt Number:	
Receipt Date:	

ENVIROMENTAL HEALTH SERVICES

Mildura Rural City Council 108 Madden Avenue Mildura, Victoria P.O. Box 105 Mildura, VIC 3500 Phone: (03) 5018 8216 Email: health@mildura.vic.gov.au

PROPERTY OWNER(S) DECLARATION

(Part 3.1 Environment Protection Regulations 2021)

I am the owner of this land:

- I hereby apply for permission to have an On-Site Wastewater Management System installed / altered by a registered plumber.
- 2. I understand that I have a responsibility as a duty holder under the Environment Protection Act 2017 and the Environment Protection Regulations 2021, and I am aware that I must:
 - a) Take all reasonable steps to ensure the system is operated so as not to pose a risk of harm to human health or the environment;
 - b) Take all reasonable steps to ensure the system is maintained in good working order;
 - c) Ensure the contents of the septic tank system do not overflow;
 - d) Provide to a renter or person in control of the system written information regarding the correct operation and maintenance of the system;
 - e) Notify the Council, as soon as practical after I become aware, or reasonably should have been aware, that the system poses a risk to harm to human health or the environment or is otherwise not in good working order;
 - f) Keep and hold a record of all maintenance activities carried out on the system, including any pump-out and service records, for a period of 5 years after each maintenance activity;
 - g) Make available for inspection on request by the Council or the Authority, any records kept regarding the maintenance of the system;
 - h) Obtain a permit to undertake any works on the system, including internal plumbing works;
 - i) Undertake maintenance of the system if ordered by Council.
- 3. I acknowledge the following constraints apply to the area of land dedicated for the treatment of wastewater effluent:
 - a) No access by vehicles or livestock such as horses and cattle;
 - b) No construction of driveways, footpaths, pools, verandahs or sheds;
 - c) No raising of ground level with clay or soil after initial construction has been completed.
- 4. I approve of the location and system proposed in the application.

I will install, operate and maintain the On-Site Wastewater System in accordance with the permit conditions, certificate and established guidelines.

Signature of						
Owner(s)/Director(s):						
Owner/Director Full						
Name(s):						
(Please Print)						
Dated:						

Privacy Statement

Personal information collected by Council is held securely and used in accordance with the Privacy and Data Protection Act 2014. Council may disclose this information to other organisations if required or permitted by Legislation. Should you wish to access or modify this information, please contact Council on 03 5018 8100 or email mrcc@mildura.vic.gov.au

ADDITIONAL INFORMATION

Works MUST NOT commence until a Permit to Install/Alter has been issued for the proposed On-site Wastewater Management System by Council.

Land Capability Assessment

The LCA must be consistent with the requirements set out in the Municipal Association of Victoria's Victorian Land Capability Assessment Framework (2nd Edition 2014, or as amended) (VLCAF). See the following sections of the Guideline Onsite Wastewater Management regarding LCA's:

Section 3.4 – Land Capability Assessment,

Note: Land Capability Assessments need to be conducted by a person that the Council considers is suitably qualified and to a standard acceptable to the Council (this may be a Soil Consultant/Engineer).

Australian Standards

The following Australian Standards are relevant to On-Site Wastewater Management:

- AS/NZS 1546 On-site domestic wastewater treatment units: and
- AS/NZS 1547:2012 On-site domestic wastewater management

On-Site Wastewater Management Systems should be designed, installed and operated in accordance with the above Australian Standards (and Australian Standards that may be issued from time to time), unless there is any inconsistency between the Australian Standards and the requirements of the Guideline for onsite wastewater management (GOWM) and Guideline for onsite wastewater effluent dispersal and recycling systems in which case the guidelines requirements take precedence.

Plumbing and Drainage

On-Site Wastewater Management System Installers must ensure that the system complies with the:

- EPA Certificate of Approval for the particular system being installed;
- On-site wastewater management system permit;
- manufacturer's specifications; and
- Victorian plumbing regulations.

Prior to installing/altering an On-Site Wastewater Management System, the installer must ensure they have a 'Permit to Install/Alter' issued by the Council.

All plumbing works including wastewater disposal via irrigation must be conducted by a licensed plumber. Contact Council's Environmental Health Services for any special requirements regarding the installation of Spa Baths (over 200 litres), Food Waste Disposal Units, or any other 'non-standard' fixtures likely to impact on the On-Site Water Management System.

Primary/Secondary Treatment Systems

Septic Tanks

All septic tanks need to comply with AS/NZS 1546 On-site domestic wastewater treatment units and EPA CA 001.1/03. All tanks should be standards marked.

Aerated Wastewater Treatment Systems

The systems are subject to any conditions contained in its EPA Certificate of Approval.




Effluent Disposal To Land

SOIL ABSORPTION/TRANSPIRATION SYSTEMS

Soil Absorption/Transpiration Systems need to comply with the Environmental Protection Authority's *Certificate of Approval CA 1.2/03* and must accord with figure below, or *AS/NZS 1547:2012, On-site domestic-wastewater management*

Figure: Absorption-Transpiration Trench schematic All dimensions in millimetres)



Notes:

- Trenches must be spaced to provide a minimum of 1-2 metres of undisturbed ground between each trench.
- Where possible, disposal trenches shall be laid along contour lines.
- Individual trench lengths should not be more than 20 metres.
- The aggregate for effluent disposal systems shall be clean, uniformly graded 20 mm to 40 mm durable material.

IRRIGATION

The reuse of wastewater by irrigation onto land is subject to the conditions contained in *AS/NZS 1547:2012, On-site domestic-wastewater management*. Sub-surface disposal must use suitable pressure compensating drip irrigation.

Setback Distances (m)

Table 4-10: Setback distances for primary and secondary treated sewage in unsewered areas

Landscape feature or structure	OWMS with primary treated effluent	OWMS with secondary treated effluent or Level 3 greywater effluent	OWMS with Level 1 and 2 greywater effluent	
Europea Political Constitution	troated entacht	groywator critacite	Circum	
Building/allotment boundary				
Up-slope of building (See Note 1)	6	3	3	
Down-slope of building	3	1.5	1.5	
Up-slope of adjacent lot	6	3	1	
Down-slope of adjacent lot	3	1.5	0.5	
Services				
Water supply pipe	3	1.5	1.5	
Up-slope of potable supply channel (stock and domestic)	300	150	150	
Down-slope of potable water supply channel (stock and domestic)	20	10	10	
In-ground water tank (See Note 2)	15	7.5	3	
Closed stormwater drain	6	3	2	
Open stormwater drain	50	30	10	
Gas supply pipe	3	1.5	1.5	

Recreational areas			
Children's grassed playground (See Note 3)	6	3	2
In-ground swimming pool	6	3	2
Surface waters			
Dam, lake or reservoir (used as source water for drinking or within a special water supply catchment) (See Notes 5, 6)	300	300	150
Waterways (used as a source of water for drinking or within a special water supply catchment) (See Notes 4, 5)	100	100	50
Waterways not used as source of water for drinking or within a special water supply catchment (for example, wetlands (continuous or ephemeral); estuaries (See Note 4)	60	30	30
Ocean beach at high-tide mark; dams, reservoirs or lakes not used as source of water for drinking or within a special water supply catchment (See Note 6)	60	30	30
Dam, lake or reservoir (used as source water for drinking or within a special water supply catchment) (See Notes 5, 6)	300	300	150
Drainage lines (See Note 7)	40	20	20
Up-slope of cutting/escarpment (See Note 8)	15	15	15
Groundwater bores			
Groundwater bores – category 1 and 2a soils	NA	50	20
Groundwater bores – category 2b to 6 soils	20	20	20
Soil depth (See Note 9)			
Depth to highest seasonal water table (See Note 10)	1.5	1.5	1.5
Depth to hydraulically limiting layer (for example, bedrock)	1.5	0.6	0.6

OWMS with primary

treated effluent

Notes to Table 4-10:

- Establishing an OWMS up-slope of a building may have implications for the structural integrity of the building. This should be examined by a building surveyor on a site-by-site basis.
- It is recommended that OWMS are installed down-slope of an in-ground water tank.
- 3. Means a school, council, community or other children's grassed playground managed by an organisation which may contain play equipment but does not mean a sports field.
- Means a waterway as defined in the Water Act 1989.
- Applies to land adjacent to a dam, lake, reservoir or waterway that provides source water used for the supply of public drinking water or, which is subject to an environmental significance overlay (ESO) that designates maintenance of water quality as the environmental objective to be achieved, or within a special water supply catchment area listed in Schedule 5 of the Catchment and Land Protection Act 1994.
- Does not apply to dams, lakes or reservoirs located above ground level that cannot receive runoff.
- An intermittent stream that is found to be a drainage line (drainage depression) with no defined banks and the bed is not incised. The topography of the drainage line should be demonstrated in writing and photographs in the LCA report.
- A cutting/escarpment from which water is likely to emanate.

Depth is measured vertically through the soil profile from the base of absorption/ETA trenches/beds or from the irrigation pipes

Plan Of On-Site Wastewater Management System

PROPERTY ADDRES	SS:						 	PF.				
OWNER:							WW					
OVVILEN			R OF A				 					
Plan should show the followi	ng features:	KEA	K OF A	LLOTWI	EIN I							
 Direction of north Contours or direction of fa 	all											
3. Relative position of the pr	roposed on-site											
wastewater management4. Proposed or existing -	system											
boundariesbuildings												
driveways												
easementsswimming pools												
irrigation areas												
streamsunderground water tanks	and wells											
 stormwater drains 	and wens											
water supply pipesunderground power lines												
 Telstra cables 												
gas pipesany other services												
Setback distances of disp from any of the above fea				-								
Cut off drains to divert dra	ainage											
away from the disposal atAny other relevant site re	rea strictions										-	
eg escarpments, large tre												
LIST OF FIXTURES	NO. OF											
1. Toilet Pan (Internal)												
Toilet Pan (Internal) Toilet Pan (External)												
3. Bath												
4. Basin		7										
5. Shower												
6. Urinal												
KITCHEN												
7. Sink												
8. Dish Washer							-					
9. Food Waste Disposal												
LAUNDRY												
10. Trough	-											
11. Washing Machine OTHER												
12. Spa (Small)												
13. Spa (Large) >200L												
V. Vent				-		-						
ORG. Overflow Relief Gully												
FWG. Floor Waste Gully			- 1									
1 WG. 1 loof Waste Gully												
		FRO	NT OF	ALL OTN	/FNT							
				~LLO 111								_
OFFICE USE ONLY												
Permit to Install/Alter I	ssued on:	/	/									
INSPECTIONS:												
Under Slab/Site:/							 					
							 	□	N.O.E	□Р	hoto	
Interim:/							 					
							 	□	N.O.E	□Р	hoto	
Final://												

Certificate to Use Issued on: ____/___/___